

FIG.1




FIG.2





FIG.3



Title: BASE STATION APPARATUS
OF WHICH INSTALLATION IS
FACILITATED

Inventor(s): Yoshinobu YAMAKITA
DOCKET NO.: 038440-0106

FIG.4




FIG.5




FIG.6




FIG.7

	RECEPTION							
	CONNECTOR CON1	CONNECTOR CON2	CONNECTOR CON3	CONNECTOR CON4	CONNECTOR CON5	CONNECTOR CON6	CONNECTOR CON7	CONNECTOR CON8
TRANSMISSION	CONNECTOR CON1	100	30	17	100	17	30	15
	CONNECTOR CON2	100	17	30	30	15	100	17
	CONNECTOR CON3	30	17	17	100	100	15	30
	CONNECTOR CON4	17	30	17	15	30	100	100
	CONNECTOR CON5	100	30	15	30	30	17	17
	CONNECTOR CON6	17	15	30	30	17	100	100
	CONNECTOR CON7	30	100	100	17	17	30	30
	CONNECTOR CON8	15	17	100	17	100	30	30

DATA ATTAINING MAXIMUM RECEPTION LEVEL AMONG DATA RECEIVED AT EACH ANTENNA IS ASSUMED AS 100.

FIG.8




FIG.9





FIG.10



Title: BASE STATION APPARATUS
OF WHICH INSTALLATION IS
FACILITATED

Inventor(s): Yoshinobu YAMAKITA
DOCKET NO.: 038440-0106

FIG.11 PRIOR ART





FIG.12 PRIOR ART



Title: BASE STATION APPARATUS
OF WHICH INSTALLATION IS
FACILITATED

Inventor(s): Yoshinobu YAMAKITA
DOCKET NO.: 038440-0106

FIG.13 PRIOR ART

